ELSEVIER

Journal of Organometallic Chemistry 585 (1999) 355-356

Journal of Organometallic Chemistry

Author Index of Volume 585

Abdul Malik, K.M., 100
Ahmed, S.Z., 331
Albertin, G., 83
Alfredo Toskano, R., 106
Althaus, H., 285
Alvarez-Larena, A., 53
Alvarez Toledano, C., 106
Ansorge, M., 174
Antiñolo, A., 154
Antoniutti, S., 83
Arif, A.M., 68

Baker, A.T., 134
Bakhmutova, E.V., 201
Bakhmutov, V.I., 201
Beckett, M.A., 7
Beckhaus, R., 179
Berke, H., 225
Bernard, H., 259
Blaurock, S., 127
Boersma, J., 93
Böhme, U., 179
Böhm, V.P.W., 348
Bondarev, O.G., 290
Bordignon, E., 83
Böttcher, C., 294
Brandts, J.A.M., 93
Brassington, D.S., 7
Breunig, H.J., 285
Bukowska, L., 308
Buston, J.E.H., 326

Cadenas, G., 18
Caro, B., 43
Castro, J., 53
Cheung, K.-K., 26
Chistyakov, A.L., 201
Chopa, A.B., 35
Collazo, C., 294
Compton, R.G., 326
Conn, C., 134
Conole, G., 141
Czeluśniak, I., 215

Dahlenburg, L., 225, 315
Daniel, T., 234
Daschner, D., 234
Davankov, V.A., 290
Davies, J.E., 141
Deemie, R.W., 162
des Abbayes, H., 259
Dilshad, R., 100
Drost, C., 341

Eigemann, S.-E., 115
Epstein, L.M., 201
Ernst, R.D., 68

Fajardo, M., 154
Ferguson, G., 331
Foth, M., 241
Furin, G.G., 201

Gambaryan, N.P., 201
Garrigues, B., 253
Gaspar, P.P., 167
Gavrilov, K.N., 290
Girolami, G.S., 275
Glidewell, C., 331
Głowiak, T., 215
Granzotto, M., 83

Hahn, F.E., 241
Handel, H., 259
Hanif, K.M., 100
Heidelt, R., 294
Herberhold, M., 234
Herbst, K., 225
Hermann, U., 211
Herrmann, W.A., 348
Hervé, G., 259
Hey-Hawkins, E., 127
Hoffmann, D., 189
Huertas, C., 154
Hursthouse, M.B., 7, 100

Jerzykiewicz, L., 308

Kabir, S.E., 100
Kannangara, G.S.K., 134
King, J.D., 141
Klimova Berestneva, T., 106
Klimova, E.I., 106
Klingebiel, U., 341
Knight, D.A., 162
Knjazhanski, S. Ya., 18
Korostylev, A.V., 290
Kostas, I.D., 1
Krannich, L.K., 266
Kruiswijk, E., 93
Kurth, V., 315

Lake, C.H., 266
Le Bris, N., 259
Leech, M.A., 326
LePoul, P., 43
Leyva, M.A., 18
Light, M.E., 7
Li, H., 59
Lloyd-Jones, D., 134
Lockhart, M.T., 35
Lork, E., 285

Malik, K.M.A., 7
Martínez García, M., 106
Mayr, A., 26
Mays, M.J., 141
McPartlin, M., 141
Milius, W., 234
Moloney, M.G., 326
Moyano, A., 53
Müller, T.J.J., 174
Murray, A.P., 35
Muzart, J., 256

Nelsen, M.J., 275
Ng, S.W., 12
Nie, W., 59
Noltemeyer, M., 341

Oehme, H., 189
Otero, A., 154
Oussaid, A., 253
Owen, P., 7

Papp, R., 127
Pasynkiewicz, S., 308
Paz-Sandoval, M.A., 68
Pérez-Camacho, O., 18
Pericàs, M.A., 53
Pietrzykowski, A., 308
Piniella, J.F., 53
Polosukhin, A.I., 290
Powell, H.R., 141
Prashar, S., 154
Probst, J., 285

Qian, C., 59
Qian, H., 167

Raithby, P.R., 141
Rao, M., 162
Rath, N.P., 167
Rehder, D., 294
Reinke, H., 189
Riahi, A., 256
Riera, A., 53
Robin-Le Guen, F., 43
Rodriguez, A.M., 154
Rosales-Hoz, M.J., 18, 68
Rosenberg, E., 100
Rösler, R., 285
Ruíz Ramírez, L., 106

Saitkulova, L.N., 201
Sasaki, Y., 246
Schauer, S.J., 266
Schmidt, H., 294

PII: S0022-328X(99)00309-5

Schobert, R., 115
Schürmann, M., 211
Screttas, C.G., 1
Sénéchal-Tocquer, M.-C., 43
Shubina, E.S., 201
Shur, V.B., 201
Sieler, J., 127
Smith, D.W., 150
Somoza, F.B., Jr., 127
Spek, A.L., 93
Stankevich, I.V., 201
Styron, E.K., 266
Sun, J., 59, 63, 63
Szymańska-Buzar, T., 215

Tikhonova, I.A., 201
Torres-Lubián, R., 68

Uhlig, F., 211

van Koten, G., 93
Varma, K.S., 7

Watkins, C.L., 266
Weskamp, T., 348
Witte-Abel, H., 341
Wrackmeyer, B., 234

Xu, L., 246

Yan, C.-G., 63
Yang, L., 26
Yaouanc, J.-J., 259

ELSEVIER

Journal of Organometallic Chemistry 585 (1999) 357–362

Journal of Organometallic Chemistry

Subject Index of Volume 585

Ab initio calculations
Structure and reactivity of four-membered titanacycles—theoretical studies, 179
Acylation by arylene bis-acid chlorides
Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4′-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and $\pi\cdots\pi$ stacking interactions, 331
1,4-Addition
Evidence of single electron transfer in the diastereoselective synthesis of β-stannylketones, 35
Alkylation
Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308
Alkyldi(methylsulfonato)boranes
Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
Alkyne complexes
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215
Alkyne coupling
Reductive coupling of alkynes by oxobis(diethyldithiocarbamato)molybdenum(IV)–sodium borohydride, 134
Alkyne-dicobaltcarbonyl complexes
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
Alkynes
First Sonogashira coupling reactions with the chlorobenzene-$Cr(CO)_2PPh_3$ complex, 174
Alkynyl
Preparation of new acetylide and vinylidene complexes of ruthenium, 83
Allyl
Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of $[Nb(=NAr)Cp'_2Cl]$ ($Cp' = \eta^5$-$C_5H_4SiMe_3$, $Ar = C_6H_4OMe$-4), 154
Allylpalladium
Unexpected regioselective formation of internal η^3-allylpalladium chloride complexes from terminal alkenes and palladium chloride in 1,2-dichloroethane, 256
Antimony
The crystal structure of a trinuclear anion, $[(t\text{-}Bu_2Sb)_2Sb]^-$ formed by reaction of *cyclo*-$(t\text{-}Bu_4Sb_4)$ with potassium, and the four-membered rings, *cyclo*-$(t\text{-}Bu_4E_nSb_{4-n})$ (E = P, $n = 0$–3; E = As, $n = 0$–2), 285
Arene complexes
First Sonogashira coupling reactions with the chlorobenzene-$Cr(CO)_2PPh_3$ complex, 174
Arene tricarbonylchromium complex
Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $Co_2(CO)_8$ complexation and $LiAlH_4$ reduction, 43
Arsenic
The crystal structure of a trinuclear anion, $[(t\text{-}Bu_2Sb)_2Sb]^-$ formed by reaction of *cyclo*-$(t\text{-}Bu_4Sb_4)$ with potassium, and the four-membered rings, *cyclo*-$(t\text{-}Bu_4E_nSb_{4-n})$ (E = P, $n = 0$–3; E = As, $n = 0$–2), 285
Asymmetric synthesis
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
Azatungstacyclopropane ring
C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[WCl_2(NPh)(C_6H_3\text{-}\{CH_2NMeCH_2\}\text{-}2\text{-}\{CH_2NMe_2\}\text{-}6)]$, 93

Benzimidazole-2-thione
Triruthenium clusters derived from the reactions of $[Ru_3(CO)_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[Ru_3(\mu\text{-}H)(\mu\text{-}2,3\text{-}\eta^2\text{-}NSC_7H_4)(CO)_{10}]$ and $[Ru_3(\mu\text{-}H)(\mu_3\text{-}\eta^2\text{-}SN_2C_4H_3)(CO)_9]$, 100
Benzimidazolin-2-ylidenes
Palladium complexes with bridged and unbridged benzimidazolin-2-ylidene ligands, 241
Benzothiazole
Triruthenium clusters derived from the reactions of $[Ru_3(CO)_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[Ru_3(\mu\text{-}H)(\mu\text{-}2,3\text{-}\eta^2\text{-}NSC_7H_4)(CO)_{10}]$ and $[Ru_3(\mu\text{-}H)(\mu_3\text{-}\eta^2\text{-}SN_2C_4H_3)(CO)_9]$, 100
Bimetallic complexes
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[Fe_2(CO)_6(\mu\text{-}AsMe_2)(\mu\text{-}SPh)]$, $[Fe_2Cp_2(CO)_2(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$, $[Mn_2(CO)_8(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$ and $[Co_3(\mu_3\text{-}S)(\mu\text{-}AsPh_2)(CO)_6AsPh_3]$, 141
Bis-aminal
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
Bis(1,2-diaza-3,5-cyclopentydienyl)silane
Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolnen, 341
Bismuth(III) chloride
La reaction de Diels–Alder catalysee par les sels de bismuth (III), 253
Bismuth(III) triflate
La reaction de Diels–Alder catalysee par les sels de bismuth (III), 253
Boranes
Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
Borohydride complexes
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201

PII: S0022-328X(99)00310-1

Boron
π-Bonding in B–O ring species: Lewis acidity of $Me_3B_3O_3$, synthesis of amine $Me_3B_3O_3$ adducts, and the crystal and molecular structure of $Me_3B_3O_3NH_2^tBu \cdot MeB(OH)_2$, 7
Boroxine
π-Bonding in B–O ring species: Lewis acidity of $Me_3B_3O_3$, synthesis of amine $Me_3B_3O_3$ adducts, and the crystal and molecular structure of $Me_3B_3O_3NH_2^tBu \cdot MeB(OH)_2$, 7

Carbene complexes
The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2-alkene- and η^3-allylcarbene complexes of cobalt, manganese and chromium, 115
Carbon–carbon coupling
Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294
Carbon–fluorine bond activation
Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[ZrCl_2(C_6F_5)_4^{2-}]$ and $[ZrF_2(C_6F_5)_5^{3-}]$, 275
Carbonyl
An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with η^6-$(C_6H_6)Cr(CO)_3$, 162
Carbonyl complexes
Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246
Carbonyl–iron
Facile synthesis of σ,μ-iminoacyl bridged butterfly clusters (μ-RE)(σ,μ-ArC=NAr')$Fe_2(CO)_6$ (E = S, Se), 63
Carboxylate complexes
Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246
Catalysis
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
First Sonogashira coupling reactions with the chlorobenzene-$Cr(CO)_2PPh_3$ complex, 174
New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
CC-Coupling
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
C–C triple bond
Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $Co_2(CO)_8$ complexation and $LiAlH_4$ reduction, 43
C–H activation
C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[WCl_2(NPh)(C_6H_3\{CH_2NMeCH_2\}$-2-$\{CH_2NMe_2\}$-6)], 93
Chalcogens
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H, ^{13}C, ^{31}P, ^{77}Se, ^{103}Rh, ^{125}Te) magnetic resonance study, 234
Chirality
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1S,2S)$-$C_5H_8(PR_2)_2Rh(1,5\text{-}COD)]O_3SCF_3$: Synthesen, Strukturen und katalytische Anwendungen, 315
Complexes of Rh(I) with phosphite derivatives of codeine, 290
Chloride complexes
Unexpected regioselective formation of internal η^3-allylpalladium chloride complexes from terminal alkenes and palladium chloride in 1,2-dichloroethane, 256
Chromium
An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with η^6-$(C_6H_6)Cr(CO)_3$, 162
First Sonogashira coupling reactions with the chlorobenzene-$Cr(CO)_2PPh_3$ complex, 174
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
C,N-chelate
C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[WCl_2(NPh)(C_6H_3\{CH_2NMeCH_2\}$-2-$\{CH_2NMe_2\}$-6)], 93
Co
The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2-alkene- and η^3-allylcarbene complexes of cobalt, manganese and chromium, 115
Cobalt
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[Fe_2(CO)_6(\mu\text{-}AsMe_2)(\mu\text{-}SPh)]$, $[Fe_2Cp_2(CO)_2(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$, $[Mn_2(CO)_8(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$ and $[Co_3(\mu_3\text{-}S)(\mu\text{-}AsPh_2)(CO)_6AsPh_3]$, 141
$Co_2(CO)_8$ complexation
Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $Co_2(CO)_8$ complexation and $LiAlH_4$ reduction, 43
Codeine derivatives
Complexes of Rh(I) with phosphite derivatives of codeine, 290
Complex
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
Coupling reactions
First Sonogashira coupling reactions with the chlorobenzene-$Cr(CO)_2PPh_3$ complex, 174
Cr
The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2-alkene- and η^3-allylcarbene complexes of cobalt, manganese and chromium, 115
Crystal structure
Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308
Bis(dicyclohexylammonium) (oxalato)(pyridine-2,6-dicarboxylato)dibutylstannate 3.5 hydrate, the first crystallographic example of a mixed-chelate diorganotin(IV) compound, 12
Facile synthesis of σ,μ-iminoacyl bridged butterfly clusters (μ-RE)(σ,μ-ArC=NAr')$Fe_2(CO)_6$ (E = S, Se), 63
Novel Si–Sn ring systems with distanna and tristanna moieties, 211
Palladium complexes with bridged and unbridged benzimidazolin-2-ylidene ligands, 241
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[Fe_2(CO)_6(\mu\text{-}AsMe_2)(\mu\text{-}SPh)]$, $[Fe_2Cp_2(CO)_2(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$, $[Mn_2(CO)_8(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$ and $[Co_3(\mu_3\text{-}S)(\mu\text{-}AsPh_2)(CO)_6AsPh_3]$, 141
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215
Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
The crystal structure of a trinuclear anion, $[(t\text{-}Bu_2Sb)_2Sb]^-$ formed by reaction of *cyclo*-(*t*-Bu_nSb_n) with potassium, and the four-membered rings, *cyclo*-(*t*-$Bu_4E_nSb_{4-n}$) (E = P, n = 0–3; E = As, n = 0–2), 285
Triruthenium clusters derived from the reactions of $[Ru_3(CO)_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[Ru_3(\mu\text{-}H)(\mu\text{-}2,3\text{-}\eta^2\text{-}NSC_7H_4)(CO)_{10}]$ and $[Ru_3(\mu\text{-}H)(\mu_3\text{-}\eta^2\text{-}SN_2C_4H_3)(CO)_9]$, 100

Cyclic stannasilanes
Novel Si–Sn ring systems with distanna and tristanna moieties, 211
[4 + 2]-Cycloaddition
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Cyclopentadienyl
Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308
Investigation of the reactivity of the phosphorus–hydrogen bond in $Cp'RuL_1L_2Cl$ complexes with diphenylphosphine ligands, 68
Cyclotrimerization
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215

Dialkyl(methylsulfonato)boranes
Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
Diastereomeric selectivity
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Diels–Alder
La reaction de Diels–Alder catalysee par les sels de bismuth (III), 253
2-Dimethylaminoethylindenyl
Synthesis and crystal structure of bis(2-dimethylaminoethylindenyl) divalent organolanthanides (Ln = Sm, Yb), 59
Dinuclear compounds
Preparation of new acetylide and vinylidene complexes of ruthenium, 83
Diphenylphosphine
Investigation of the reactivity of the phosphorus–hydrogen bond in $Cp'RuL_1L_2Cl$ complexes with diphenylphosphine ligands, 68
1,3-Disilacyclobutanes
Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis-(trimethylsilyl)silene, 189
2,3-Disilaphenanthren-9-on, hexahydro
Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis-(trimethylsilyl)silene, 189
Dynamic NMR Spectra
Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225

Ferrocene
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Ferrocene derivatives
Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4′-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and π···π stacking interactions, 331

Germanium
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215
Group 4
Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[ZrCl_2(C_6F_5)_4^{2-}]$ and $[ZrF_2(C_6F_5)_5^{3-}]$, 275
Group 15
The crystal structure of a trinuclear anion, $[(t\text{-}Bu_2Sb)_2Sb]^-$ formed by reaction of *cyclo*-(*t*-Bu_4Sb_4) with potassium, and the four-membered rings, *cyclo*-(*t*-$Bu_4E_nSb_{4-n}$) (E = P, $n = 0–3$; E = As, $n = 0–2$), 285

Half-sandwich
Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of $[Nb(=NAr)Cp'_2Cl]$ ($Cp' = \eta^5$-$C_5H_4SiMe_3$, Ar = C_6H_4OMe-4), 154
Half-sandwich complexes
Mononuclear half-sandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H, ^{13}C, ^{31}P, ^{77}Se, ^{103}Rh, ^{125}Te) magnetic resonance study, 234
Hemilabile ligand
New rhodium complexes with *P*,*N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
Heterobimetallic complexes
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215
Hydroformylation
New rhodium complexes with *P*,*N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
Hydrogenation
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1S,2S)\text{-}C_5H_8(PR_2)_2Rh(1,5\text{-}COD)]O_3SCF_3$: Synthesen, Strukturen und katalytische Anwendungen, 315

Imido
Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of $[Nb(=NAr)Cp'_2Cl]$ ($Cp' = \eta^5$-$C_5H_4SiMe_3$, Ar = C_6H_4OMe-4), 154
Iminoacyl complex
Facile synthesis of σ,μ-iminoacyl bridged butterfly clusters $(\mu\text{-}RE)(\sigma,\mu\text{-}ArC{=}NAr')Fe_2(CO)_6$ (E = S, Se), 63
Induction
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Intermolecular H-bonding
Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4′-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and π···π stacking interactions, 331
Intramolecular cyclization
Reductive coupling of alkynes by oxobis(diethyldithiocarbamato)molybdenum(IV)–sodium borohydride, 134
Iron
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[Fe_2(CO)_6(\mu\text{-}AsMe_2)(\mu\text{-}SPh)]$, $[Fe_2Cp_2(CO)_2(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$, $[Mn_2(CO)_8(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$ and $[Co_3(\mu_3\text{-}S)(\mu\text{-}AsPh_2)(CO)_6AsPh_3]$, 141
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

IR spectroscopy
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201
Isocyanides
Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26
Isomerization
Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-$[Me_2InN(Me)SiMe_3]_2$, 266

Kinetics
Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-$[Me_2InN(Me)SiMe_3]_2$, 266

Layered phosphonate
An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with η^6-$(C_6H_6)Cr(CO)_3$, 162
Lead
On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326
Lewis acidity
π-Bonding in B–O ring species: Lewis acidity of $Me_3B_3O_3$, synthesis of amine $Me_3B_3O_3$ adducts, and the crystal and molecular structure of $Me_3B_3O_3NH_2^tBu \cdot MeB(OH)_2$, 7
$LiAlH_4$ reduction
Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $Co_2(CO)_8$ complexation and $LiAlH_4$ reduction, 43
Ligand effects
On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326
Lithium
Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308

Manganese
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[Fe_2(CO)_6(\mu\text{-}AsMe_2)(\mu\text{-}SPh)]$, $[Fe_2Cp_2(CO)_2(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$, $[Mn_2(CO)_8(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$ and $[Co_3(\mu_3\text{-}S)(\mu\text{-}AsPh_2)(CO)_6AsPh_3]$, 141
Metal alkyls
Electronegativity equilibration and organometallic thermochemistry: the strengths of carbon–carbon bonds in metal alkyls, 150
Metal complexes
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26
Metallacycles
Structure and reactivity of four-membered titanacycles—theoretical studies, 179
The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2-alkene- and η^3-allylcarbene complexes of cobalt, manganese and chromium, 115
Methylene(thioxo)phosphorane
2,6-Dimethoxyphenylphosphetane sulfide—synthesis, structure and exploratory photochemistry, 167
Mixed-chelate diorganotin
Bis(dicyclohexylammonium) (oxalato)(pyridine-2,6-dicarboxylato)dibutylstannate 3.5 hydrate, the first crystallographic example of a mixed-chelate diorganotin(IV) compound, 12
Mn
The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2-alkene- and η^3-allylcarbene complexes of cobalt, manganese and chromium, 115
Molecular structure
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Molybdenum
Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
Reductive coupling of alkynes by oxobis(diethyldithiocarbamato)molybdenum(IV)–sodium borohydride, 134
Molybdenum(II)
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215
Monoene addition
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106

N-Heterocyclic carbenes
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
Nickel
Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308
Niobium
Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294
Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of $[Nb(=NAr)Cp'_2Cl]$ ($Cp' = \eta^5\text{-}C_5H_4SiMe_3$, $Ar = C_6H_4OMe\text{-}4$), 154
Niobocene
Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of $[Nb(=NAr)Cp'_2Cl]$ ($Cp' = \eta^5\text{-}C_5H_4SiMe_3$, $Ar = C_6H_4OMe\text{-}4$), 154
Nitrile complexes
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215
NMR
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H, ^{13}C, ^{31}P, ^{77}Se, ^{103}Rh, ^{125}Te) magnetic resonance study, 234
Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-$[Me_2InN(Me)SiMe_3]_2$, 266
Synthesis and crystal structure of bis(2-dimethylaminoethylindenyl) divalent organolanthanides (Ln = Sm, Yb), 59
NMR spectroscopy
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201

Organolanthanide
Synthesis and crystal structure of bis(2-dimethylaminoethylindenyl) divalent organolanthanides (Ln = Sm, Yb), 59
Organolead
On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326
Organotin anions
Evidence of single electron transfer in the diastereoselective synthesis of β-stannylketones, 35

O-Siloxypyrazolones
Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolnen, 341

Palladium
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
Palladium complexes with bridged and unbridged benzimidazolin-2-ylidene ligands, 241
Pauson–Khand reaction
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
Pentafluorophenyl
Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[ZrCl_2(C_6F_5)_4^{2-}]$ and $[ZrF_2(C_6F_5)_5^{1-}]$, 275
Pentamethylcyclopentadienyl
Investigation of the reactivity of the phosphorus–hydrogen bond in $Cp'RuL_1L_2Cl$ complexes with diphenylphosphine ligands, 68
Peterson reaction
Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis-(trimethylsilyl)silene, 189
Phenylchalcogenolates
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H, ^{13}C, ^{31}P, ^{77}Se, ^{103}Rh, ^{125}Te) magnetic resonance study, 234
Phosphetane sulfide
2,6-Dimethoxyphenylphosphetane sulfide—synthesis, structure and exploratory photochemistry, 167
Phosphine
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
Phosphinidene sulfide
2,6-Dimethoxyphenylphosphetane sulfide—synthesis, structure and exploratory photochemistry, 167
2-(2-Phosphinoaryl)dihydrooxazoles
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
Phosphite ligands
Complexes of Rh(I) with phosphite derivatives of codeine, 290
Phosphorus
The crystal structure of a trinuclear anion, $[(t\text{-}Bu_2Sb)_2Sb]^-$ formed by reaction of *cyclo*-$(t\text{-}Bu_nSb_n)$ with potassium, and the four-membered rings, *cyclo*-$(t\text{-}Bu_4E_nSb_{4-n})$ (E = P, $n = 0–3$; E = As, $n = 0–2$), 285
P ligands
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1S,2S)\text{-}C_5H_8(PR_2)_2Rh(1,5\text{-}COD)]O_3SCF_3$: Synthesen, Strukturen und katalytische Anwendungen, 315
P,N ligands
Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225
Polymercury-containing macrocycles
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201
Propene polymerization
Si_2Me_4-bridged zirconocene dichlorides: crystal and molecular structure of *meso*-$Si_2Me_4(3\text{-}SiMe_3\text{-}C_9H_5)_2ZrCl_2$, 18
Pyrazoline
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Pyridine
On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326
Pyridyl complexes
Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246
Pyrimidine-2-thione
Triruthenium clusters derived from the reactions of $[Ru_3(CO)_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[Ru_3(\mu\text{-}H)(\mu\text{-}2,3\text{-}\eta^2\text{-}NSC_7H_4)(CO)_{10}]$ and $[Ru_3(\mu\text{-}H)(\mu_3\text{-}\eta^2\text{-}SN_2C_4H_3)(CO)_9]$, 100

Quantum-chemical calculations
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201

Reductive coupling
Reductive coupling of alkynes by oxobis(diethyldithiocarbamato)molybdenum(IV)–sodium borohydride, 134
Regioselective formation
Unexpected regioselective formation of internal η^3-allylpalladium chloride complexes from terminal alkenes and palladium chloride in 1,2-dichloroethane, 256
Rhenium
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26
Rhodium
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1S,2S)\text{-}C_5H_8(PR_2)_2Rh(1,5\text{-}COD)]O_3SCF_3$: Synthesen, Strukturen und katalytische Anwendungen, 315
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H, ^{13}C, ^{31}P, ^{77}Se, ^{103}Rh, ^{125}Te) magnetic resonance study, 234
New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
Rhodium complexes
Complexes of Rh(I) with phosphite derivatives of codeine, 290
Rigidified tetraamine
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
Ruthenium
Investigation of the reactivity of the phosphorus–hydrogen bond in $Cp'RuL_1L_2Cl$ complexes with diphenylphosphine ligands, 68
Preparation of new acetylide and vinylidene complexes of ruthenium, 83
Triruthenium clusters derived from the reactions of $[Ru_3(CO)_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[Ru_3(\mu\text{-}H)(\mu\text{-}2,3\text{-}\eta^2\text{-}NSC_7H_4)(CO)_{10}]$ and $[Ru_3(\mu\text{-}H)(\mu_3\text{-}\eta^2\text{-}SN_2C_4H_3)(CO)_9]$, 100
Ruthenium complexes
Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246

S-cis-Hetero-1,3-dienes
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
Selenium
Facile synthesis of σ,μ-iminoacyl bridged butterfly clusters $(\mu\text{-}RE)(\sigma,\mu\text{-}ArC{=}NAr')Fe_2(CO)_6$ (E = S, Se), 63
Seven-coordinate
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[Mo(GeCl_3)_2(CO)_2(NCEt)_3]$, 215

Seven-coordination
Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[ZrCl_2(C_6F_5)_4^{2-}]$ and $[ZrF_2(C_6F_5)_5^{3-}]$, 275
Silaethenes
Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis-(trimethylsilyl)silene, 189
Silenes
Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis-(trimethylsilyl)silene, 189
Silylamine
Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-$[Me_2InN(Me)SiMe_3]_2$, 266
Silyl group migration
Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolnen, 341
Silylhydrazones
Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolnen, 341
Single electron transfer
Evidence of single electron transfer in the diastereoselective synthesis of β-stannylketones, 35
^{29}Si-NMR
Novel Si–Sn ring systems with distanna and tristanna moieties, 211
^{119}Sn-NMR
Novel Si–Sn ring systems with distanna and tristanna moieties, 211
Sol–gel
An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with η^6-$(C_6H_6)Cr(CO)_3$, 162
Solid state structures
On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326
π–π Stacking
Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4′-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and π···π stacking interactions, 331
Structure
Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-$[Me_2InN(Me)SiMe_3]_2$, 266
Sulfur
Facile synthesis of σ,μ-iminoacyl bridged butterfly clusters (μ-RE)(σ,μ-ArC=NAr′)$Fe_2(CO)_6$ (E = S, Se), 63

Tantalum
Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294
Theoretical chemistry
Electronegativity equilibration and organometallic thermochemistry: the strengths of carbon–carbon bonds in metal alkyls, 150
Thermochemistry
Electronegativity equilibration and organometallic thermochemistry: the strengths of carbon–carbon bonds in metal alkyls, 150
Thermodynamics
Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-$[Me_2InN(Me)SiMe_3]_2$, 266
Thioarsines
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[Fe_2(CO)_5(\mu\text{-}AsMe_2)(\mu\text{-}SPh)]$, $[Fe_2Cp_2(CO)_2(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$, $[Mn_2(CO)_8(\mu\text{-}AsPh_2)(\mu\text{-}SPh)]$ and $[Co_3(\mu_3\text{-}S)(\mu\text{-}AsPh_2)(CO)_6AsPh_3]$, 141
Titanacyclobutanes
Structure and reactivity of four-membered titanacycles—theoretical studies, 179
Titanium
Structure and reactivity of four-membered titanacycles—theoretical studies, 179
Tungsten
C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[WCl_2(NPh)(C_6H_3\{CH_2NMeCH_2\}\text{-}2\text{-}\{CH_2NMe_2\}\text{-}6)]$, 93
Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

Vanadium
Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294
Vinylidene
Preparation of new acetylide and vinylidene complexes of ruthenium, 83

X-ray
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^{1}H, ^{13}C, ^{31}P, ^{77}Se, ^{103}Rh, ^{125}Te) magnetic resonance study, 234
X-ray structural analysis
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
X-ray structure
π-Bonding in B–O ring species: Lewis acidity of $Me_3B_3O_3$, synthesis of amine $Me_3B_3O_3$ adducts, and the crystal and molecular structure of $Me_3B_3O_3NH_2^tBu\cdot MeB(OH)_2$, 7
X-ray structure analysis
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1S,2S)\text{-}C_5H_8(PR_2)_2Rh(1,5\text{-}COD)]O_3SCF_3$: Synthesen, Strukturen und katalytische Anwendungen, 315
Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225
X-ray structures
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

Zinc
C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[WCl_2(NPh)(C_6H_3\{CH_2NMeCH_2\}\text{-}2\text{-}\{CH_2NMe_2\}\text{-}6)]$, 93
Zirconium
Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[ZrCl_2(C_6F_5)_4^{2-}]$ and $[ZrF_2(C_6F_5)_5^{3-}]$, 275
Zirconocenes
Si_2Me_4-bridged zirconocene dichlorides: crystal and molecular structure of *meso*-$Si_2Me_4(3\text{-}SiMe_3\text{-}C_9H_5)_2ZrCl_2$, 18